

Table 12e. Prevalence of Selected Chronic Diseases and Conditions by Age and Sex.
Southeastern Health District, 1996.

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Arthritis				
Total	7.3 ±	1.5	3,900	53,533
Sex: Male	6.0 ±	1.8	1,600	26,275
Female	8.5 ±	2.0	2,300	27,258
Age: 0-24	0.8 ±	0.7	200	24,046
25-34	*** ±	***	***	6,151
35-44	5.2 ±	2.8	400	7,581
45-64	18.0 ±	4.8	1,700	9,593
65+	26.9 ±	8.3	1,700	6,162
Asthma				
Total	5.9 ±	1.5	3,100	53,533
Sex: Male	5.9 ±	2.0	1,500	26,275
Female	5.9 ±	2.0	1,600	27,258
Age: 0-9	5.9 ±	2.8	500	8,443
10-17	7.2 ±	4.3	600	8,923
18-24	12.2 ±	6.5	800	6,680
25-34	2.6 ±	2.5	200	6,151
35-44	2.6 ±	2.0	200	7,581
45-64	5.4 ±	2.6	500	9,593
65+	6.0 ±	4.0	400	6,162
Chronic Obstructive Pulmonary Disease				
Total	1.7 ±	0.7	900	53,533
Sex: Male	2.4 ±	1.1	600	26,275
Female	1.1 ±	0.7	300	27,258
Age: 0-34	*** ±	***	***	30,197
35-44	*** ±	***	***	7,581
45-64	2.4 ±	1.9	200	9,593
65+	9.0 ±	4.9	600	6,162
Diabetes				
Total	3.7 ±	1.0	2,000	53,533
Sex: Male	3.4 ±	1.3	900	26,275
Female	4.1 ±	1.5	1,100	27,258
Age: 0-24	*** ±	***	***	24,046
25-34	*** ±	***	***	6,151
35-44	3.6 ±	2.4	300	7,581
45-64	6.7 ±	2.9	600	9,593
65+	15.2 ±	5.9	900	6,162

Table 12e. (continued)

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Heart Disease				
Total	4.4 ±	1.1	2,300	53,533
Sex: Male	5.0 ±	1.6	1,300	26,275
Female	3.8 ±	1.4	1,000	27,258
Age: 0-34	*** ±	***	***	30,197
35-44	2.3 ±	1.8	200	7,581
45-64	6.9 ±	3.0	700	9,593
65+	26.6 ±	7.4	1,600	6,162
Hypertension (Age ≥18)				
Total	20.1 ±	3.6	10,700	53,533
Sex: Male	17.6 ±	5.4	4,600	26,275
Female	22.4 ±	4.9	6,100	27,258
Age: 18-24	7.8 ±	7.4	500	6,680
25-34	6.3 ±	4.7	400	6,151
35-44	20.7 ±	7.8	1,600	7,581
45-64	21.4 ±	6.8	2,000	9,593
65+	46.0 ±	11.2	2,800	6,162
Stroke				
Total	1.2 ±	0.6	600	53,533
Sex: Male	1.0 ±	0.7	300	26,275
Female	1.4 ±	0.9	400	27,258
Age: 0-44	*** ±	***	***	37,778
45-64	1.8 ±	1.6	200	9,593
65+	7.4 ±	4.1	500	6,162

1 CI = Confidence Interval.

2 Rounded to the nearest hundred. Numbers do not sum to the total because of missing values on the grouping variables.

*** Insufficient data to calculate an estimate.

Table 12f. Prevalence of Selected Chronic Diseases and Conditions by Age and Sex.
Southwest Health District, 1996.

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Arthritis				
Total	5.4 ± 1.3		6,000	111,139
Sex: Male	3.2 ± 1.3		1,700	54,567
Female	7.6 ± 1.9		4,300	56,572
Age: 0-24	*** ± ***		***	48,051
25-34	2.6 ± 2.6		400	15,456
35-44	6.5 ± 3.5		900	13,485
45-64	8.3 ± 3.5		1,400	17,097
65+	21.8 ± 5.9		3,700	17,050
Asthma				
Total	3.5 ± 1.0		3,900	111,139
Sex: Male	3.2 ± 1.3		1,700	54,567
Female	3.9 ± 1.4		2,200	56,572
Age: 0-9	2.5 ± 1.9		400	17,736
10-17	6.0 ± 3.3		1,000	17,205
18-24	*** ± ***		***	13,110
25-34	2.3 ± 2.2		400	15,456
35-44	3.0 ± 2.3		400	13,485
45-64	5.3 ± 2.8		900	17,097
65+	4.8 ± 2.9		800	17,050
Chronic Obstructive Pulmonary Disease				
Total	1.4 ± 0.6		1,600	111,139
Sex: Male	2.1 ± 1.0		1,100	54,567
Female	0.8 ± 0.6		400	56,572
Age: 0-34	*** ± ***		***	63,507
35-44	*** ± ***		***	13,485
45-64	1.6 ± 1.5		300	17,097
65+	7.2 ± 3.6		1,200	17,050
Diabetes				
Total	2.4 ± 0.7		2,600	111,139
Sex: Male	2.4 ± 1.1		1,300	54,567
Female	2.3 ± 1.1		1,300	56,572
Age: 0-24	*** ± ***		***	48,051
25-34	*** ± ***		***	15,456
35-44	2.6 ± 2.3		300	13,485
45-64	4.9 ± 2.6		800	17,097
65+	9.2 ± 3.7		1,600	17,050

Table 12f. (continued)

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Heart Disease				
Total	4.6 ±	1.2	5,100	111,139
Sex: Male	5.4 ±	1.7	2,900	54,567
Female	3.8 ±	1.3	2,100	56,572
Age: 0-34	*** ±	***	***	63,507
35-44	*** ±	***	***	13,485
45-64	9.2 ±	3.6	1,600	17,097
65+	21.0 ±	5.5	3,600	17,050
Hypertension (Age ≥18)				
Total	21.2 ±	3.8	23,500	111,139
Sex: Male	20.3 ±	5.7	11,100	54,567
Female	22.0 ±	5.0	12,400	56,572
Age: 18-24	*** ±	***	***	13,110
25-34	13.1 ±	7.7	2,000	15,456
35-44	17.4 ±	8.1	2,400	13,485
45-64	26.8 ±	8.4	4,600	17,097
65+	42.7 ±	9.3	7,300	17,050
Stroke				
Total	1.4 ±	0.6	1,600	111,139
Sex: Male	1.4 ±	0.8	800	54,567
Female	1.4 ±	0.8	800	56,572
Age: 0-44	*** ±	***	***	76,992
45-64	2.5 ±	1.9	400	17,097
65+	7.2 ±	3.7	1,200	17,050

1 CI = Confidence Interval.

2 Rounded to the nearest hundred. Numbers do not sum to the total because of missing values on the grouping variables.

*** Insufficient data to calculate an estimate.

Table 10g. Prevalence of Selected Chronic Diseases and Conditions by Age and Sex.
Summit Health District, 1996.

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Arthritis				
Total	2.7 ±	0.9	600	22,414
Sex: Male	1.4 ±	0.8	200	11,356
Female	4.1 ±	1.5	500	11,058
Age: 0-24	*** ±	***	***	9,009
25-34	*** ±	***	***	3,498
35-44	2.2 ±	1.7	100	4,245
45-64	4.0 ±	2.2	200	4,249
65+	18.4 ±	7.9	300	1,413
Asthma				
Total	6.2 ±	1.4	1,400	22,414
Sex: Male	5.9 ±	1.8	700	11,356
Female	6.5 ±	2.1	700	11,058
Age: 0-9	4.7 ±	3.2	200	3,318
10-17	7.1 ±	3.4	200	3,466
18-24	12.2 ±	6.8	300	2,225
25-34	4.7 ±	2.9	200	3,498
35-44	5.9 ±	2.6	300	4,245
45-64	6.1 ±	2.9	300	4,249
65+	4.6 ±	3.8	100	1,413
Chronic Obstructive Pulmonary Disease				
Total	0.7 ±	0.4	100	22,414
Sex: Male	*** ±	***	***	11,356
Female	0.8 ±	0.7	100	11,058
Age: 0-34	*** ±	***	***	12,507
35-44	*** ±	***	***	4,245
45-64	*** ±	***	***	4,249
65+	*** ±	***	***	1,413
Diabetes				
Total	1.4 ±	0.6	300	22,414
Sex: Male	1.2 ±	0.8	100	11,356
Female	1.6 ±	0.9	200	11,058
Age: 0-24	*** ±	***	***	9,009
25-34	*** ±	***	***	3,498
35-44	1.6 ±	1.5	100	4,245
45-64	1.8 ±	1.6	100	4,249
65+	6.0 ±	5.2	100	1,413

Table 12g. (continued)

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Heart Disease				
Total	2.3 ±	0.8	500	22,414
Sex: Male	2.9 ±	1.2	300	11,356
Female	1.7 ±	1.0	200	11,058
Age: 0-34	*** ±	***	***	12,507
35-44	1.4 ±	1.3	100	4,245
45-64	2.8 ±	1.9	100	4,249
65+	21.8 ±	8.0	300	1,413
Hypertension (Age ≥18)				
Total	14.5 ±	3.4	3,200	22,414
Sex: Male	13.0 ±	4.8	1,500	11,356
Female	16.0 ±	4.6	1,800	11,058
Age: 18-24	*** ±	***	***	2,225
25-34	4.9 ±	3.9	200	3,498
35-44	7.5 ±	4.3	300	4,245
45-64	22.7 ±	7.9	1,000	4,249
65+	41.7 ±	13.1	600	1,413
Stroke				
Total	0.7 ±	0.4	200	22,414
Sex: Male	0.8 ±	0.7	100	11,356
Female	0.6 ±	0.6	100	11,058
Age: 0-44	*** ±	***	***	16,752
45-64	*** ±	***	***	4,249
65+	6.0 ±	4.4	100	1,413

1 CI = Confidence Interval.

2 Rounded to the nearest hundred. Numbers do not sum to the total because of missing values on the grouping variables.

*** Insufficient data to calculate an estimate.

Table 12h. Prevalence of Selected Chronic Diseases and Conditions by Age and Sex.
Tooele Health District, 1996.

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Arthritis				
Total	5.6 ±	1.3	1,500	26,934
Sex: Male	4.6 ±	1.6	600	13,497
Female	6.6 ±	1.9	900	13,437
Age: 0-24	0.8 ±	0.7	100	11,593
25-34	*** ± ***		***	3,414
35-44	5.1 ±	2.8	200	3,652
45-64	11.8 ±	4.0	600	5,348
65+	23.9 ±	7.4	700	2,927
Asthma				
Total	5.5 ±	1.3	1,500	26,934
Sex: Male	6.0 ±	1.9	800	13,497
Female	5.1 ±	1.6	700	13,437
Age: 0-9	4.4 ±	2.9	200	4,018
10-17	5.4 ±	2.5	200	4,427
18-24	4.5 ±	3.3	100	3,148
25-34	9.8 ±	4.1	300	3,414
35-44	5.4 ±	3.2	200	3,652
45-64	4.1 ±	2.6	200	5,348
65+	5.4 ±	3.8	200	2,927
Chronic Obstructive Pulmonary Disease				
Total	1.1 ±	0.5	300	26,934
Sex: Male	0.9 ±	0.7	100	13,497
Female	1.3 ±	0.8	200	13,437
Age: 0-34	*** ± ***		***	15,007
35-44	*** ± ***		***	3,652
45-64	*** ± ***		***	5,348
65+	5.5 ±	3.8	200	2,927
Diabetes				
Total	3.7 ±	1.0	1,000	26,934
Sex: Male	3.7 ±	1.4	500	13,497
Female	3.6 ±	1.4	500	13,437
Age: 0-24	*** ± ***		***	11,593
25-34	2.5 ±	1.9	100	3,414
35-44	2.1 ±	1.8	100	3,652
45-64	8.3 ±	3.3	400	5,348
65+	13.8 ±	5.8	400	2,927

Table 12h. (continued)

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Heart Disease				
Total	3.6 ±	1.0	1,000	26,934
Sex: Male	3.5 ±	1.3	500	13,497
Female	3.8 ±	1.5	500	13,437
Age: 0-34	0.4 ±	0.4	100	15,007
35-44	2.8 ±	2.5	100	3,652
45-64	6.6 ±	3.0	400	5,348
65+	19.1 ±	6.6	600	2,927
Hypertension (Age ≥18)				
Total	22.9 ±	3.8	6,200	26,934
Sex: Male	19.1 ±	5.5	2,600	13,497
Female	26.5 ±	5.4	3,600	13,437
Age: 18-24	9.4 ±	6.5	300	3,148
25-34	15.8 ±	6.9	500	3,414
35-44	17.3 ±	7.5	600	3,652
45-64	32.6 ±	8.6	1,700	5,348
65+	38.8 ±	11.4	1,100	2,927
Stroke				
Total	0.9 ±	0.5	200	26,934
Sex: Male	0.7 ±	0.6	100	13,497
Female	1.1 ±	0.8	200	13,437
Age: 0-44	0.4 ±	0.4	100	18,659
45-64	2.0 ±	1.6	100	5,348
65+	3.0 ±	2.8	100	2,927

1 CI = Confidence Interval.

2 Rounded to the nearest hundred. Numbers do not sum to the total because of missing values on the grouping variables.

*** Insufficient data to calculate an estimate.

Table 12i. Prevalence of Selected Chronic Diseases and Conditions by Age and Sex.
TriCounty Health District, 1996.

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Arthritis				
Total	5.7 ±	1.3	2,200	38,523
Sex: Male	4.0 ±	1.4	800	19,091
Female	7.3 ±	1.8	1,400	19,432
Age: 0-24	*** ±	***	***	18,402
25-34	3.3 ±	2.6	100	4,365
35-44	5.7 ±	3.4	300	5,495
45-64	11.2 ±	4.0	700	6,623
65+	25.5 ±	8.0	900	3,638
Asthma				
Total	4.8 ±	1.2	1,900	38,523
Sex: Male	5.2 ±	1.6	1,000	19,091
Female	4.4 ±	1.6	900	19,432
Age: 0-9	5.9 ±	2.9	400	6,380
10-17	4.7 ±	2.5	400	7,483
18-24	7.8 ±	4.7	400	4,539
25-34	*** ±	***	***	4,365
35-44	3.9 ±	2.6	200	5,495
45-64	4.1 ±	2.4	300	6,623
65+	8.2 ±	4.3	300	3,638
Chronic Obstructive Pulmonary Disease				
Total	1.0 ±	0.5	400	38,523
Sex: Male	1.2 ±	0.7	200	19,091
Female	0.8 ±	0.6	200	19,432
Age: 0-34	*** ±	***	***	22,767
35-44	*** ±	***	***	5,495
45-64	2.1 ±	1.6	100	6,623
65+	3.6 ±	3.1	100	3,638
Diabetes				
Total	3.5 ±	0.9	1,400	38,523
Sex: Male	3.2 ±	1.2	600	19,091
Female	3.8 ±	1.4	700	19,432
Age: 0-24	0.6 ±	0.6	100	18,402
25-34	2.1 ±	2.0	100	4,365
35-44	3.1 ±	2.5	200	5,495
45-64	8.8 ±	3.2	600	6,623
65+	10.3 ±	5.1	400	3,638

TriCounty Health District was formerly known as Uintah Basin Health District.

Table 12i. (continued)

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Heart Disease				
Total	3.5 ±	0.9	1,300	38,523
Sex: Male	3.6 ±	1.3	700	19,091
Female	3.4 ±	1.3	700	19,432
Age: 0-34	*** ±	***	***	22,767
35-44	*** ±	***	***	5,495
45-64	6.8 ±	2.9	400	6,623
65+	21.3 ±	6.2	800	3,638
Hypertension (Age ≥18)				
Total	19.0 ±	3.5	7,300	38,523
Sex: Male	14.0 ±	4.8	2,700	19,091
Female	23.8 ±	5.0	4,600	19,432
Age: 18-24	*** ±	***	***	4,539
25-34	9.1 ±	5.8	400	4,365
35-44	15.3 ±	7.5	800	5,495
45-64	27.4 ±	7.4	1,800	6,623
65+	39.2 ±	10.9	1,400	3,638
Stroke				
Total	1.2 ±	0.6	500	38,523
Sex: Male	0.9 ±	0.6	200	19,091
Female	1.5 ±	0.9	300	19,432
Age: 0-44	*** ±	***	***	28,262
45-64	2.6 ±	1.8	200	6,623
65+	7.5 ±	4.5	300	3,638

1 CI = Confidence Interval.

2 Rounded to the nearest hundred. Numbers do not sum to the total because of missing values on the grouping variables.

*** Insufficient data to calculate an estimate.

Table 12j. Prevalence of Selected Chronic Diseases and Conditions by Age and Sex.
Utah County Health District, 1996.

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Arthritis				
Total	4.2 ±	1.0	13,200	316,160
Sex: Male	1.9 ±	0.9	3,000	155,853
Female	6.4 ±	1.7	10,300	160,307
Age: 0-24	*** ±	***	***	163,745
25-34	2.9 ±	1.9	1,500	52,626
35-44	2.6 ±	2.3	900	35,673
45-64	13.2 ±	4.3	5,400	41,004
65+	24.5 ±	8.6	5,700	23,112
Asthma				
Total	3.4 ±	1.0	10,800	316,160
Sex: Male	3.8 ±	1.5	5,900	155,853
Female	3.1 ±	1.2	5,000	160,307
Age: 0-9	3.2 ±	1.9	2,100	65,338
10-17	3.5 ±	2.2	1,600	45,364
18-24	2.2 ±	1.9	1,200	53,043
25-34	3.0 ±	1.9	1,600	52,626
35-44	3.4 ±	2.7	1,200	35,673
45-64	3.4 ±	2.3	1,400	41,004
65+	8.5 ±	6.2	2,000	23,112
Chronic Obstructive Pulmonary Disease				
Total	0.7 ±	0.4	2,100	316,160
Sex: Male	0.8 ±	0.6	1,200	155,853
Female	0.6 ±	0.5	900	160,307
Age: 0-34	*** ±	***	***	216,371
35-44	*** ±	***	***	35,673
45-64	1.9 ±	1.8	800	41,004
65+	4.8 ±	4.1	1,100	23,112
Diabetes				
Total	2.3 ±	0.7	7,400	316,160
Sex: Male	1.4 ±	0.8	2,200	155,853
Female	3.3 ±	1.2	5,200	160,307
Age: 0-24	0.7 ±	0.6	1,100	163,745
25-34	*** ±	***	***	52,626
35-44	3.8 ±	2.8	1,400	35,673
45-64	4.7 ±	2.7	1,900	41,004
65+	13.4 ±	6.3	3,100	23,112

Table 12j. (continued)

	%	95% CI ¹	# Persons Affected ²	Number of Persons in Population Subgroup
Heart Disease				
Total	2.0 ±	0.7	6,200	316,160
Sex: Male	2.0 ±	1.0	3,200	155,853
Female	1.9 ±	1.1	3,100	160,307
Age: 0-34	*** ±	***	***	216,371
35-44	*** ±	***	***	35,673
45-64	6.0 ±	3.0	2,400	41,004
65+	15.5 ±	7.4	3,600	23,112
Hypertension (Age ≥18)				
Total	13.1 ±	3.1	41,600	316,160
Sex: Male	17.2 ±	5.5	26,800	155,853
Female	9.4 ±	3.3	15,100	160,307
Age: 18-24	*** ±	***	***	53,043
25-34	7.4 ±	4.5	3,900	52,626
35-44	15.6 ±	8.7	5,500	35,673
45-64	21.8 ±	8.4	8,900	41,004
65+	39.5 ±	13.6	9,100	23,112
Stroke				
Total	0.6 ±	0.4	1,800	316,160
Sex: Male	0.5 ±	0.5	800	155,853
Female	0.7 ±	0.5	1,100	160,307
Age: 0-44	*** ±	***	***	252,044
45-64	*** ±	***	***	41,004
65+	5.9 ±	4.6	1,400	23,112

1 CI = Confidence Interval.

2 Rounded to the nearest hundred. Numbers do not sum to the total because of missing values on the grouping variables.

*** Insufficient data to calculate an estimate.